CONTENTS

British Volume, 81-B, 1999

Editorials

The role of the orthopaedic surgeon in metastatic disease of the appendicular skeleton 1
Roger M. Tillman

Current concept: Trauma and orthopaedic surgery on the Internet 3
Christopher W. Oliver

Reviewers 1998 7

The Journal website 189

Genes and orthopaedics 190
W. G. Cole

The Bone and Joint Decade 2000 – 2010 377
Rene Marti, Laurent Sedel, Robert A. Dickson, Neil Rushton

Hip replacement audit 565
J. Nolan and H. Philips

Does thrombophilia cause Perthes' disease in children 565
R. J. Liesner

The development of the Journal 753
David Hamblen and Frank Horan

Infection in the operating room 754
S. P. F. Hughes and F. M. Anderson

The management of unstable injuries of the pelvic ring 941
M. Tile

Review articles

Bracing (and screening) - yes or no? 193
R. A. Dickson and S. L. Weinstein

Management of herniation of the lumbar disc 567
F. Postacchini

The diagnosis and treatment of injury to the tarsometatarsal joint complex 756
M. S. Myerson

Ultrasound and the diagnosis of orthopaedic disorders 944
G. M. Allen and D. J. Wilson

Annotation

Intra-articular steroids after arthroscopy for osteoarthritis of the knee 952
H. S. Gosal, A. M. Jackson and D. R. Bickerstaff

Scientific papers

Longitudinal limb deficiencies and the sclerotomes 9
J. McCredie and H.-G. Willert

Radiolucent lines and component stability in knee arthroplasty 24
P. Vyskocil, C. Gerber and P. Bamert

Manipulation of total knee replacements 27
C. N. A. Esler, K. Lock, W. M. Harper and P. J. Gregg

The tourniquet in total knee arthroplasty 30
H. M. Wakankar, J. E. Nicholl, R. Koka and J. C. D'Arcy

Extensive post-traumatic ossification of the patellar tendon 34
H. Matsumoto, M. Kawakubo, T. Otani and K. Fujikawa

Meniscal movement 37
V. Vedi, E. Spouse, A. Williams, S. J. Tennant, D. M. Hunt and W. M. W. Gedroyc

Is revision as good as primary hip replacement? 42
A. H. N. Robinson, C. R. Palmer and R. N. Villar

Analysis of 114 second-generation metal-on-metal retrieved hip implants 46
H.-P. Sieber, C. B. Rieker and P. Kottig

Migration of the Duraloc cup at two years 51
B. Stöckl, M. Sandow, M. Krismer, R. Biedermann, C. Wimmer and B. Frischhut

Low-friction arthroplasty of the hip using alumina ceramic and cross-linked polyethylene 54
B. M. Wroblewski, P. D. Siney and P. A. Fleming

Infections associated with dental procedures in total hip arthroplasty 56
D. M. LaPorte, B. J. Waldman, M. A. Mont and D. S. Hungerford

Long-term results of spherical acetabular osteotomy 60
M. Schramm, R. P. Pitto, E. Rohm and D. Hohmann

Non-operative management of acetabular fractures 67
P. Tornetta III

Fractures of the tibia 71
P. Gaston, E. Will, R. A. Elton, M. M. McQueen and C. M. Court-Brown

Contralateral fracture of the proximal femur 77
M. Weatherall

Survivorship and radiological analysis of the standard Souter-Strathclyde total elbow arthroplasty 80
I. A. Trail, D. Nuttall and J. K. Stanley

Patterns of healing of scaphoid fractures 85
R. W. Kulkarni, R. Wollstein, R. Tayar and N. Citron

Acute fractures of the scaphoid 91
J. E. Hambidge, V. V. Desai, P. J. Schranz, J. P. Compson, T. R. C. Davis and N. J. Barton

Anterior instability of the glenohumeral joint with humeral avulsion of the glenohumeral ligament 93
D. J. Bokor, V. B. Conboy and C. Olson

Assessment of hindfoot deformity by three-dimensional MRI in infant club foot 97
J.-P. Cahuzac, C. Baunin, S. Luu, E. Estivalezes, J. Sales de Gauzy and M. C. Hobatho

Unsuccessful surgical treatment of hip dislocation in congenital sensory neuropathy with anhidrosis 102
G. Koster, M. von Knoch and H.-G. Willert

Support of the anterior column with allografts in tuberculosis of the spine 106
S. Govender and A. H. Parbhoo

Determining the sagittal dimensions of the canal of the cervical spine 110
H. R. Blackley, L. D. Plank and P. A. Robertson

Ankle arthrodesis using an anterior AO T plate 113
R. Rowan and K. J. Davey

Patterns of weight distribution under the metatarsal heads 199
E. J. Luger, M. Nissan, A. Karpf, E. L. Steinberg and S. Dekel

Arthroscopy of the first metatarsophalangeal joint 203
M. S. Davies and T. S. Saxby

Mechanical properties of heel pads reconstructed with flaps 207
C.-L. Wang, Y.-W. Shau, T.-C. Hsu, H.-C. Chen and S.-H. Chien

Isolated and combined lesions of the axillary nerve 212
C. Bonnard, D. J. Anastakis, G. van Melle and A. O. Narakas

The inferior capsular shift operation for instability of the shoulder 218
K. Hamada, H. Fukuda, T. Nakajima and N. Yamada

Sensory pathways in the spinal accessory nerve 226
A. T. Bremner-Smith, A. J. Unwin and W. W. Williams

Effectiveness of the A-V impulse hand pump 229
M. Ramesh, B. Morrissey, J. B. Healy, S. Roy-Choudhury and A. C. Macey

The assessment of appropriate indications for laminectomy 234
F. Porchet, J.-P. Vader, T. Larequi-Lauber, M. C. Costanza, B. Burnand and R. W. Dubois

Delayed vertebral slip and adjacent disc degeneration with an isthmic defect of the fifth lumbar vertebra 240
Y. Ishida, K. Ohmori, H. Inoue and K. Suzuki

Congenital kyphosis in myelomeningocele 245
F. Lalonde and J. Jarvis

Congenital convex pes valgus 250
R. D. D. Duncan and J. A. Fixsen

Ultrasound screening for hips at risk in developmental dysplasia 255
R. W. Paton, M. S. Srinivasan, B. Shah and S. Hollis

The influence of weight-bearing on the measurement of polyethylene wear in THA 259
P. N. Smith, R. S. M. Ling and R. Taylor

Accuracy of EBRA-FCA in the measurement of migration of femoral components of total hip replacement 266
R. Biedermann, M. Krismer, B. Stöckl, P. Mayrhofer, E. Ornstein and H. Franzén

The prediction of failure of the stem in THR by measurement of early migration using EBRA-FCA 273
M. Krismer, R. Biedermann, B. Stöckl, M. Fischer, R. Bauer and C. Haid

Retroversion of the acetabulum 281
D. Reynolds, J. Lucas and K. Klaue

Improving the detection of acetabular osteolysis using oblique radiographs 289
D. G. Southwell, J. E. Bechtold, W. D. Lew and A. H. Schmidt

Total knee arthroplasty in bony ankylosis in gross flexion 296
Y.-H. Kim, S.-H. Cho and J.-S. Kim

Intra-articular morphine and/or bupivacaine after total knee replacement 301
M. A. Ritter, M. Koehler, E. M. Keating, P. M. Faris and J. B. Medingr

Mucoid cystic degeneration of the cruciate ligament 304
A. Kumar, D. R. Bickerstaff, J. S. Grimwood and S. K. Suvarna

Salvage of the head of the radius after fracture-dislocation of the elbow 306
V. R. Patel and D. S. Elliott

'Floating pelvis' 309
R. G. Levine, C. P. Kauffman, M. C. Reilly and F. F. Behrens

Malunion in the lower limb 312
R. H. Wade, A. M. R. New, G. Tselentakis, J. H. Kuiper, A. Roberts and J. B. Richardson

Tumour volume as a predictor of necrosis after chemotherapy in Ewing's sarcoma 317
A. Abudu, A. M. Davies, P. B. Pynsent, D. C. Mangham, R. M. Tillman, S. R. Carter and R. J. Grimer

Clinical and radiological aspects of idiopathic diabetic muscle infarction 323
A. J. Aboulafia, D. K. Monson and R. E. Kennon

Lateral shelf acetabuloplasty in Perthes' disease 380
K. Daly, C. Bruce and A. Catterall

Soft-tissue interposition after closed reduction in developmental dysplasia of the hip 385
T. Hattori, Y. Ono, T. Kitakoji, S. Takashi and H. Iwata

The use of dynamic interventional MRI in developmental dysplasia of the hip 392
S. Tennant, C. Kinmont, G. Lamb, W. Gedroyc and D. M. Hunt

Implantation of a soft-tissue expander before operation for club foot in children 398
A. Roposch, G. Steinwender and W. E. Linhart

Extension of the elbow and supracondylar fractures in children 402
G. J. McLauchlan, C. R. C. Walker, B. Cowan, J. E. Robb and R. J. Prescott

The anterior band of the inferior glenohumeral ligament 406
P. J. McMahon, J. Dettling, M. D. Sandusky, J. E. Tibone and T. Q. Lee

Entrapment of the suprascapular nerve 414
Th. Fabre, C. Piton, G. Leclouerec, F. Gervais-Delion and A. Durandeau

The assessment of shoulder instability 420
J. Dawson, R. Fitzpatrick and A. Carr

Charnley low-frictional torque arthroplasty of the hip 427
B. M. Wroblewski, P. A. Fleming and P. D. Siney

Planar anteversion of the acetabular cup as determined from plain anteroposterior radiographs 431
Riten Pradhan

Total hip arthroplasty in patients with Down's syndrome 436
M. Kioschos, E. D. Shaw and R. K. Beals

Effectiveness of bone cement containing tobramycin 440
C. P. Scott, P. A. Higham and J. H. Dumbleton

Open-wedge osteotomy by hemicallotasis or the closed-wedge technique for osteoarthritis of the knee 444
G. Magyar, T. L. Ahl, P. Vibe, S. Toksvig-Larsen and A. Lindstrand

Hemicallotasis open-wedge osteotomy for osteoarthritis of the knee 449
G. Magyar, S. Toksvig-Larsen and A. Lindstrand

Anatomy and surface geometry of the patellofemoral joint in the axial plane 452
H.-U. Stäubli, U. Dürrenmatt, B. Porcellini and W. Rauschning

Cryptococcal osteomyelitis of the spine 459
S. Govender, E. Mutasa and A. H. Parbhoo

High cervical disc herniation and the Brown-Sequard syndrome 462
P. A. Antich, A. C. Sanjuan, F. M. Girvent and J. D. Simó

Short-course chemotherapy for tuberculosis of the spine 464
R. Parthasarathy, K. Sriram, T. Santha, R. Prabhakar, P. R. Somasundaram and S. Sivasubramanian

Fixation of odontoid fractures by an anterior screw 472
A. D. Henry, J. Bohly and A. Grosse

Biomechanical comparison of fixation of type-I fractures of the lateral tibial plateau 478
P. J. Parker, K. B. Tepper, R. J. Brumback, V. P. Novak and S. M. Belkoff

Dropped hallux after the intramedullary nailing of tibial fractures 481
C. M. Robinson, J. O'Donnell, E. Will and J. F. Keating

The quadriceps myocutaneous flap for operation on the distal femur 485
R. M. Kerry, B. A. Masri, C. P. Beauchamp and C. P. Duncan

Endoprosthetic replacement of the proximal tibia 488
R. J. Grimer, S. R. Carter, R. M. Tillman, R. S. Sneath, P. S. Walker, P. S. Unwin and P. C. Shewell

Extensible endoprostheses of the humerus after resection of bone tumours 495
K. S. Ayoub, F. Fiorenza, R. J. Grimer, R. M. Tillman and S. R. Carter

The Gorham-Stout syndrome (Gorham's massive osteolysis) 501
G. Möller, M. Priemel, M. Amling, M. Werner, A. S. Kuhlmey and G. Delling

Outcome of Charnley total hip replacement across a single health region in England 577
D. Fender, W. M. Harper and P. J. Gregg

Polyethylene wear; osteolysis and acetabular loosening with an HA-coated hip prosthesis 582
M. Røkkum, M. Brandt, K. Bye, K. R. Hetland and S. Waage

Diagnostic criteria for non-traumatic osteonecrosis of the femoral head 590
N. Sugano, T. Kubo, K. Takaoka, K. Ohzono, T. Hotokebuchi, T. Matsumoto, H. Igarashi and S. Ninomya

Acute fracture of the neck of the femur 596
T. Konishiike, E. Makihata, H. Tago, T. Sato and H. Inoue

Is diagnostic arthroscopy of the hip worthwhile? 600
Y. F. Baber, A. H. N. Robinson and R. N. Villar

Complications of arthroscopy of the hip 604
D. R. Griffin and R. N. Villar

Tarsal tunnel syndrome caused by ganglia 607
M. Nagaoka and K. Satou

Subtalar arthrodesis with correction of deformity after fractures of the os calcis 611
R. K. Marti, J. A. C. de Heus, W. Roolker, R. W. Poolman and P. P. Besselaar

Disarticulation at the ankle using an anterior flap 617
K. P. Robinson

Screw *versus* suture fixation of Mitchell's osteotomy 621
J. D. F. Calder, J. P. Hollingdale and M. F. Pearse

The knee joint in diastrophic dysplasia 625
J. Peltonen, P. Vaara, E. Marttinen, S. Ryöppy and M. Poussa

Plain radiography in the degenerate knee 632
A. P. Davies, D. A. Calder, T. Marshall and M. M. S. Glasgow

The popliteofibular ligament 636
S. A. Shahane, C. Ibbotson, R. Strachan and D. R. Bickerstaff

Subperiosteal ganglion cyst of the tibia 643
M. De Maeseneer, H. De Boeck, M. Shahabpour, A. Hoorens, D. Oosterlinck and R. Van Tiggelen

The results at ten years of the Insall-Burstein II total knee replacement 647
P. L. S. Li, J. Zamora and G. Bentley

Prevention of deep-vein thrombosis after total knee replacement 654
J. Blanchard, J. -Y. Meuwly, P. -F. Leyvraz, M. -J. Miron, H. Bounameaux, P. Hoffmeyer, D. Didier and P. -A. Schneider

Health outcome after total knee replacement in the very elderly 660
P. D. Birdsall, J. H. Hayes, R. Cleary, I. M. Pinder, C. G. Moran and J. L. Sher

Nonunion of tibial stress fractures in patients with deformed arthritic knees 663
M. R. Sawant, S. P. Bendall, T. G. Kavanagh and N. D. Citron

Osteochondroma with compression of the spinal cord 667
S. Govender and A. H. Parbhoo

Degenerative spondylolisthesis 670
T. W. Love, A. B. Fagan and R. D. Fraser

Evaluation of chronic tears of the rotator cuff by ultrasound 675
T. Wallny, U. A. Wagner, S. Prange, O. Schmitt and H. Reich

The incidence of nerve injury in anterior dislocation of the shoulder and its influence on functional recovery 679
C. P. J. Visser, L. N. J. E. M. Coene, R. Brand and D. L. J. Tavy

Does thrombophilia play an aetiological role in Legg-Calvé-Perthes disease? 686
S. Hayek, G. Kenet, A. Lubetsky, N. Rosenberg, S. Gitel and S. Wientroub

Perthes' disease and the relevance of thrombophilia 691
D. P. Thomas, G. Morgan and K. Tayton

Perthes' disease after the age of twelve years 696
K. Mazda, G. F. Penneçot, R. Zeller and G. Taussig

Detailed analysis of proprioception in normal and ACL-deficient knees 764
G. Pap, A. Machner, W. Nebelung and F. Awiszus

Correction of genu recurvatum by the Ilizarov method 769
I. H. Choi, C. Y. Chung, T.-J. Cho and S. S. Park

Arthroscopic reconstruction of the anterior cruciate ligament with patellar-tendon autograft and interference screw fixation 775
N. M. Jomha, L. A. Pinczewski, A. Clingeleffer and D. D. Otto

Osteotomy of the tibia for correction of complex deformity 780
N. S. El-Said

Does arthritis progress in the retained compartments after 'Oxford' medial unicompartmental arthroplasty? 783
A. E. Weale, D. W. Murray, R. Crawford, V. Psychoyios, A. Bonomo, G. Howell, J. O'Connor and J. W. Goodfellow

The length of the patellar tendon after unicompartmental and total knee replacement 790
A. E. Weale, D. W. Murray, J. H. Newman and C. E. Ackroyd

Osteosarcoma of the pelvis 796
R. J. Grimer, S. R. Carter, R. M. Tillman, D. Spooner, D. C. Mangham and Y. Kabukcuoglu

Prosthetic reconstruction for tumours of the distal tibia and fibula 803
S. H. Lee, H.-S. Kim, Y.-B. Park, T.-Y. Rhie and H. K. Lee

Reconstruction and limb salvage after resection for malignant bone tumour of the proximal humerus 808
T. Wada, M. Usui, K. Isu, S. Yamawakii and S. Ishii

Osteoid osteoma 814
M. Campanacci, P. Ruggieri, A. Gasbarrini, A. Ferraro and L. Campanacci

Pelvic obliquity after fusion of the spine in Duchenne muscular dystrophy 821
B. A. Alman and H. K. W. Kim

The placement of lumbar pedicle screws using computerised stereotactic guidance 825
F. P. Girardi, F. P. Cammisa Jr, H. S. Sandhu and L. Alvarez

The appearance on MRI of vertebrae in acute compression of the spinal cord due to metastases 830
F. M. Khaw, S. A. Worthy, M. J. Gibson and A. Gholkar

Poor eight-year survival of cemented zirconia-polyethylene total hip replacements 835
J. Allain, S. Le Mouel, D. Goutallier and M. C. Voisin

Nerve palsy after leg lengthening in total replacement arthroplasty for developmental dysplasia of the hip 843
S. Eggli, S. Hankemayer and M. E. Müller

The use of ultrasound in determining initiation of treatment in instability of the hip in neonates 846
K. J. Holen, A. Tegnander, S. H. Eik-Nes and T. Terjesen

Financial justification for routine ultrasound screening of the neonatal hip 852
J. Clegg, C. E. Bache and V. V. Raut

The treatment of congenital club foot by operation to correct deformity and achieve dynamic muscle balance 858
Y.-T. Huang, W. Lei, L. Zhao and J. Wang

Shock-wave therapy is effective for chronic calcifying tendinitis of the shoulder 863
M. Loew, W. Daecke, D. Kusnierczak, M. Rahmanzadeh and V. Ewerbeck

Work practices and histopathological changes in the tenosynovium and flexor retinaculum in carpal tunnel syndrome in women 868
J. Chell, A. Stevens and T. R. C. Davis

The relationship between the site of nonunion of the scaphoid and scaphoid nonunion advanced collapse (SNAC) 871
H. Moritomo, K. Tada, T. Yoshida and T. Masatomi

Percutaneous repair of the ruptured tendo Achillis 877
J. M. Webb and G. C. Bannister

Total dislocations of the navicular: are they ever isolated injuries? 881
M. S. Dhillon and O. N. Nagi

Intraoperative bacterial contamination in operations for joint replacement 886
N. Davis, A. Curry, A. K. Gambhir, H. Panigrahi, C. R. C. Walker, E. G. L. Wilkins, M. A. Worsley and P. R. Kay

Vascular complications of osteotomies in limb reconstruction 890
M. Rickman, M. Saleh, P. A. Gaines and K. Eyres

Pyoderma gangrenosum 893
P. M. Armstrong, I. Ilyas, R. Pandey, A. R. Berendt, C. P. Conlon and A. H. R. W. Simpson

Failure of reduction with an external fixator in the management of injuries of the pelvic ring 955
J. Lindahl, E. Hirvensalo, O. Böstman and S. Santavirta

The use of blocking screws in stabilising tibial fractures treated with small diameter intramedullary nails 963
C. Krettek, C. Stephan, P. Schandelmaier, M. Richter, H. C. Pape and T. Miclau

Osteonecrosis of the femoral head 969
H. Ito, K. Kaneda and T. Matsuno

Periacetabular osteotomy in the treatment of neurogenic acetabular dysplasia 975
S. J. MacDonald, O. Hersche and R. Ganz

Damage to the superior gluteal nerve after two different approaches to the hip 979
P. Kenny, C. P. O'Brien, K. Synnott and M. G. Walsh

Radiological factors influencing femoral and acetabular failure in cemented Charnley total hip arthroplasties 982
M. A. Ritter, H. Zhou, C. M. Keating, E. M. Keating, P. M. Faris, J. B. Meding and M. E. Berend

Primary repair of the cruciate and collateral ligaments after traumatic dislocation of the knee 987
S. A. Ibrahim

The intercruciate band of the human knee 991
R. L. Morgan-Jones and M. J. Cross

Chlorhexidine and chondrolysis in the knee 995
A. L. van Huyssteen and D. J. Bracey

Tuberculosis of the foot 997
R. Mittal, V. Gupta and S. Rastogi

Development of the ball-and-socket ankle as assessed by radiography and arthrography 1001
Y. Takakura, Y. Tanaka, T. Kumai and K. Sugimoto

Long-term results of the GSB III elbow arthroplasty 1005
N. Gschwend, N. H. Scheier and A. R. Baehler

Radiolunate arthrodesis 1013
H. C. Doets and E. E. J. Raven

Prevalence of Raynaud's phenomenon in patients with idiopathic carpal tunnel syndrome 1017
M. S. Chung, H. S. Gong and G. H. Baek

A posterior approach to the elbow joint 1020
S. A. Shahane and D. Stanley

Avascular necrosis and the Aberdeen splint in developmental dysplasia of the hip 1023
P. R. Williams, D. A. Jones and M. Bishay

The limping child: epidemiology, assessment and outcome 1029
S. U. Fischer and T. F. Beattie

Ipsilateral vascularised fibular transport for massive defects of the tibia 1035
R. M. Atkins, P. Madhavan, J. Sudhakar and D. Whitwell

Leg lengthening over an intramedullary nail 1041
A. H. R. W. Simpson, A. S. Cole and J. Kenwright

A comparison of short- and long-term intravenous antibiotic therapy in the postoperative management of adult osteomyelitis 1046
M. F. Swiontkowski, D. P. Hanel, N. B. Vedder and J. R. Schwappach

Research Section

Mechanical considerations in impaction bone grafting 118
N. T. Brewster, W. J. Gillespie, C. R. Howie, S. P. G. Madabhushi, A. S. Usmani and D. R. Fairbairn

Transplantation of osteoblast-like cells to the distracted callus in rabbits 125
S. Tsubota, H. Tsuchiya, Y. Shinokawa, K. Tomita and H. Minato

Cement migration after THR 130
J. Alfaro-Adrián, H. S. Gill and D. W. Murray

Subsidence of a non-polished stem in revisions of the hip using impaction allograft 135
J. Kärrholm, P. Hultmark, L. Carlsson and H. Malchau

Determination of the Hounsfield value for CT-based design of custom femoral stems 143
A. Aamodt, K. A. Kvistad, E. Andersen, J. Lund-Larsen, J. Eine, P. Benum and O. S. Husby

Hydroxyapatite-coated femoral stems 148
A. J. Tonino, M. Thèrin and C. Doyle

Induction of macrophage C-C chemokine expression by titanium alloy and bone cement particles 155
Y. Nakashima, D.-H. Sun, M. C. D. Trindade, L. E. Chun, Y. Song, S. B. Goodman, D. J. Schurman, W. Maloney and R. L. Smith

Cytokine levels in synovial fluid from hips with well-functioning or loose prostheses 163
B. Nivbrant, K. Karlsson and J. Kärrholm

The inadequacy of standard radiographs in detecting flaws in the cement mantle 167
A. D. Reading, A. W. McCaskie and P. J. Gregg

Sensory afferent properties of immobilised or inflamed rat knees during continuous passive movement 171
T. Okamoto, Y. Atsuta and S. Shimazaki

The prevalence and clinicopathological appearance of extension of osteonecrosis in the femoral head 328
T. Yamamoto, E. F. DiCarlo and P. G. Bullough

The pathology of bone allograft 333
S. H. Palmer, C. L. M. H. Gibbons and N. A. Athanasou

Histopathology of retrieved allografts of the femoral head 336
S. Sugihara, A. D. van Ginkel, T. U. Jiya, B. J. van Royen, P. J. van Diest and P. I. J. M. Wuisman

Changes in allograft bone irradiated at different temperatures 342
A. J. Hamer, I. Stockley and R. A. Elson

Intracapsular components do not change hip proprioception 345
Y. Ishii, T. Tojo, K. Terajima, S. Terashima and J. E. Bechtold

Decrease in the mesenchymal stem-cell pool in the proximal femur in corticosteroid-induced osteonecrosis 349
P. Hernigou, F. Beaujean and J. C. Lambotte

Stimulation of the inflammatory system by reamed and unreamed nailing of femoral fractures 356
P. V. Giannoudis, R. M. Smith, M. C. Bellamy, J. F. Morrison, R. A. Dickson and P. J. Guillou

Spatial and temporal distribution of CD44 and osteopontin in fracture callus 508
M. Yamazaki, F. Nakajima, A. Ogasawara, H. Moriya, R. J. Majeska and T. A. Einhorn

Cytotoxicity and macrophage cytokine release induced by ceramic and polyethylene particles in vitro 516
I. Catelas, A. Petit, R. Marchand, D. J. Zukor, L'H. Yahia and O. L. Huk

Intracellular biogenesis of collagen fibrils in 'activated fibroblasts' of tendo Achillis 522
R. González Santander, M. A. Plasencia Arriba, G. Martinez Cuadrado, A. Lopez Alonso, M. González-Santander Martinez, F. J. Martinez Alonso, M. Monteagudo and M. V. Toledo Lobo

Nitric oxide in fracture repair 531
S. A. Corbett, M. Hukkanen, J. Batten, I. D. McCarthy, J. M. Polak and S. P. F. Hughes

Human bone allografts can induce T cells with high affinity for donor antigens 538
R. L. M. Deijkers, G. J. Bouma, E. M. W. van der Meer-Prins, P. E. Huysmans, A. H. M. Taminiau and F. H. J. Claas

Cytotoxic effect of methotrexate and its solvent on osteosarcoma cells in vitro 545
S. Decker, W. Winkelmann, B. Nies and F. van Valen

Deposition of calcium pyrophosphate in tissue after revision arthroplasty of the hip 552
R. Crawford, B. Puddle, N. Hunt and N. A. Athanasou

The relationship of foot and ankle movements to venous return in the lower limb 700
D. H. Sochart and K. Hardinge

The effect of hydroxyapatite coating on the bonding of bone to titanium implants in the femora of ovariectomised rats 705
T. Hara, K. Hayashi, Y. Nakashima, T. Kanemaru and Y. Iwamoto

Osteogenic activity of OP-1 bone morphogenetic protein (BMP-7) in a human fibular defect 710
R. G. T. Geesink, N. H. M. Hoefnagels and S. K. Bulstra

Coral grafting supplemented with bone marrow 719
S. Louisia, M. Stromboni, A. Meunier, L. Sedel and H. Petite

The influence of crystallinity of the hydroxyapatite coating on the fixation of implants 725
S. Overgaard, U. Bromose, M. Lind, C. Bünger and K. Søballe

Dupuytren's disease 732
R. M. D. Meek, S. McLellan and J. F. Crossan

Muscle recovery after immobilisation by external fixation 896
N. Zarzhevsky, R. Coleman, G. Volpin, D. Fuchs, H. Stein and A. Z. Reznick

The regeneration of sensory neurones in reconstruction of the anterior cruciate ligament 902
M. Ochi, J. Iwasa, Y. Uchio, N. Adachi and Y. Sumen

Characteristics of bone ingrowth and interface mechanics of a new porous tantalum biomaterial 907
J. D. Bobyn, G. J. Stackpool, S. A. Hacking, M. Tanzer and J. J. Krygier

The connective-tissue envelope in revascularisation of patellar tendon grafts 915
A. Sckell, M. Leunig, C. R. Fraitzl, R. Ganz and F. T. Ballmer

c-Myc protein in the rabbit growth plate 921
T. Aizawa, S. Kokubun, T. Kawamata, Y. Tanaka and H. I. Roach

Extensor carpi radialis brevis 926
B. Greenbaum, J. Itamura, C. T. Vangsness, J. Tibone and R. Atkinson

Mechanical characteristics of impacted morsellised bone grafts used in revision of total hip arthroplasty 1052
E. B. W. Giesen, N. M. P. Lamerigts, N. Verdonschot, P. Buma, B. W. Schreurs and R. Huiskes

Transforming and epidermal growth factors in degenerated intervertebral discs 1058
Y. T. Konttinen, P. Kemppinen, T. F. Li, E. Waris, H. Pihlajamäki, T. Sorsa, M. Takagi, S. Santavirta, G. S. Schultz and M. G. Humphreys-Beher

Repair of human articular cartilage after implantation of autologous chondrocytes 1064
J. B. Richardson, B. Caterson, E. H. Evans, B. A. Ashton and S. Roberts

Effects of TGFβ on bone ingrowth in the presence of polyethylene particles 1069
S. B. Goodman, Y. Song, L. Chun, D. Regula and P. Aspenberg

Age-dependent effects of hedgehog protein on chondrocytes 1076
M. Iwasaki, A. Jikko and A. X. Le

Report of the 1998 ABC Travelling Fellows 362

Obituaries

Roland Barnes 1907 – 1998 366
Brian Thomas O'Connor 1929 – 1999 555
Michael Bertrand Devas 1920 – 1999 739
Gumee du Toit 1909 – 1999 930

Correspondence

Ankle fractures in diabetics 178
Severe progressive deformities after limb lengthening in type-II fibular hemimelia 178
Ultrasonography in developmental hip dysplasia 179
Wear of polyethylene in artificial hip joints 179
Prognosis in Perthes' disease 179
Different methods of treatment related to the bilateral occurrence of Perthes' disease 180
Treatment of displaced proximal humeral fractures in elderly patients 181
The conservative management of acute pyogenic miliopsoas abscess in children 182
Ipsilateral recurrent lumbar disc herniation 368
Redisplaced unstable fractures of the distal radius 368
Hydroxyapatite augmentation of the porous coating improves fixation of tibial components 368
The role of methylmethacrylate monomer in the formation and haemodynamic outcome of pulmonary fat emboli 369
Ankle fractures in diabetics 370
A new test for estimating iliotibial band contracture 370
The treatment of subluxation of the hip in children over the age of four years 371
Incisional cellulitis after total hip replacement 371
Acute compartment syndrome of the thigh after joint replacement with anticoagulation 372
Femoral stem fixation 372

Comparison of the Wrightington FC hip with the Charnley low-friction arthroplasty 556
The control of new prosthetic implants 556
Femoral stem fixation 557
Trauma and orthopaedic surgery on the Internet 558
Total knee arthroplasty with the PFC system 558
The protective effect of a cut-resistent gloove liner 559
Determining the sagittal dimensions of the canal of the cervical spine 559
Neonatal detection of developmental dysplasia of the hip (DDH) 560
Reamed *versus* unreamed nails 741
Pain in the assessment of total knee replacement 742
Open acromioplasty does not prevent the progression of an impingement syndrome to a tear 743
Retroversion of the acetabulum 743
Neonatal detection of developmental dysplasia of the hip (DDH) 744
Patterns of weight distribution under the metatarsal heads 744
Infections associated with dental proceedures in total hip arthroplasty 745
Salvage of the head of the radius after fracture-dislocation of the elbow 745
The tourniquet in total knee arthroplasty 932
Acute fractures of the scaphoid 934
Salvage of the head of the radius after fracture-dislocation of the elbow 934
The pathology of bone allograft 935
Clinical and radiological aspects of idiopathic diabetic muscle infarction 1083
Ultrasound screening for hips at risk in developmental dysplasia 1083
Screw *versus* suture fixation of Mitchell's osteotomy 1084

Book reviews 183, 373, 561, 747, 936, 1086

Announcements 185, 749

Corrections 938, 1090

Forthcoming meetings 186, 375, 563, 750, 939, 1088

Author Index 1091

Subject Index 1103